



# Molecular Mechanisms Underlying the Hypolipidemic Effects of Bioactive Compounds from Avocado (*Persea americana* Mill.) Peel: A Literature Review

Suwayuni Mus<sup>1</sup>, Nanik Sulistyani<sup>2\*</sup>, Sapto Mulyani<sup>2</sup>

<sup>1</sup> Pharmacist Professional Study Program, Almarisah Madani University, Makassar, Indonesia.

<sup>2</sup> Doctor of Pharmacy Program, Ahmad Dahlan University, Yogyakarta, Indonesia.

Received: November 05, 2025

Revised: December 21, 2025

Accepted: January 25, 2026

Published: January 31, 2026

Corresponding Author:

Suwayuni Mus

[suwayuni@gmail.com](mailto:suwayuni@gmail.com)

DOI: [10.29303/jppipa.v12i1.13733](https://doi.org/10.29303/jppipa.v12i1.13733)

## Open Access

© 2026 The Authors. This article is distributed under a (CC-BY License)



**Abstract:** Avocado peel (*Persea americana* L.) contains a number of bioactive compounds that have the potential to act as antihyperlipidemic agents. These compounds include polyphenols, flavonoids, triterpenoids, phytosterols, and phenolic acids, which are known to affect lipid metabolism through various molecular pathways. This review aims to identify the molecular mechanisms underlying the antihyperlipidemic effects of avocado peel extract. Relevant literature was obtained through searches in the PubMed, Scopus, and Web of Science databases using relevant keywords. Selected studies were analyzed based on the PICO (Population, Intervention, Comparison, Outcome) framework and summarized using the PRISMA methodology. The results of the review indicate that avocado peel extract has the potential to activate the AMPK pathway, regulate PPAR- $\alpha/\gamma$ , inhibit HMG-CoA reductase, and increase bile acid excretion. However, most of the evidence is limited to animal models and in vitro studies, and further research in humans is needed to confirm the efficacy and to elucidate more in-depth molecular mechanisms.

**Keywords:** Antihyperlipidemic; Avocado peel; Bioactive compounds; Dyslipidemia; HMGCoA

## Introduction

Dyslipidemia is one of the main risk factors for cardiovascular disease, which remains the leading cause of death worldwide. According to a report by WHO (2018), cardiovascular disease causes more than 17 million deaths each year, most of which are related to uncontrolled lipid profiles. Elevated levels of total cholesterol, LDL, triglycerides, and decreased HDL accelerate the development of atherosclerosis and chronic inflammation, which ultimately trigger severe cardiovascular events (Ference et al., 2017). Although pharmacological therapies such as statins, fibrates, and PCSK9 inhibitors have been proven effective, their adverse effects, including hepatotoxic side effects, myopathy, and therapeutic resistance necessitate new,

safer, and more accessible hypolipidemic therapy alternatives (Stroes et al., 2015).

In recent years, the development of natural materials as candidates for hypolipidemic therapy has increased significantly. One plant with great potential is the avocado (*Persea americana* Mill.), especially its peel, which is currently underutilized and considered agricultural waste. Phytochemical studies indicate that avocado peel is rich in bioactive compounds, such as flavonoids, phenols, terpenoids, and tannins (Brajawikalpa et al., 2020; Ibarra-Junquera et al., 2019). These compounds are reported to have antioxidant and anti-inflammatory activities that play a role in improving lipid profiles (Shahidi & Ambigaipalan, 2015).

Several in vivo studies have reported that avocado plant extracts can reduce LDL and triglyceride levels and increase HDL levels (Alhassan & Ahmed, 2016). In

## How to Cite:

Mus, S., Sulistyani, N., & Mulyani, S. (2026). Molecular Mechanisms Underlying the Hypolipidemic Effects of Bioactive Compounds from Avocado (*Persea americana* Mill.) Peel: A Literature Review. *Jurnal Penelitian Pendidikan IPA*, 12(1), 12-19. <https://doi.org/10.29303/jppipa.v12i1.13733>

addition, several of their active compounds, especially flavonoids, have been shown to be able to modulate important molecules in lipid metabolism such as HMG-CoA reductase, PPAR $\alpha$ , PPAR $\gamma$ , and influence the SREBP-1c and AMPK signaling pathways (Chen et al., 2025; Li et al., 2025). However, this evidence remains fragmented, and no scientific review has comprehensively integrated *in vitro*, *in vivo*, and *in silico* data to map the molecular mechanisms of the hypolipidemic effects of bioactive compounds in avocado fruit peel (Tovar et al., 2024).

On the other hand, *in silico* approaches, such as molecular docking and network pharmacology, have rapidly developed as important tools in understanding the mechanisms of action of natural compounds that are multitarget (Daina et al., 2019). These approaches are expected to map the interactions between bioactive compounds and molecular targets associated with lipid metabolism. However, the use of these approaches, especially for avocado fruit peel, is still very limited and has not been systematically explored.

Thus, a systematic review is needed to summarize and integrate all available experimental and computational evidence, to chart the molecular mechanisms of the hypolipidemic effects of bioactive compounds in avocado fruit peel.

## Method

This review adhered to the PRISMA guidelines (Page et al., 2021). A comprehensive search was conducted across PubMed, Scopus, and ScienceDirect

databases using the keywords: "avocado peel", "hypolipidemic", "molecular mechanism", and "bioactive compounds". Inclusion criteria were (1) articles published between 2015–2025; (2) studies examining molecular mechanisms of hypolipidemic activity; and (3) studies involving avocado peel as the primary source of bioactives. Exclusion criteria included review articles lacking a mechanistic focus and inaccessible full texts. The review process involved identification, screening, eligibility, and inclusion stages as follows: article identification: Searches were conducted using the keywords "avocado peel," "Persea americana," "lipid metabolism," "hypolipidemic," and "bioactive compounds"; article screening, selection based on title and abstract, followed by full-text assessment; data extraction, collection of data from selected articles, including research model, extract dosage, type of bioactive compounds, molecular mechanisms, and effects on lipid metabolism; data synthesis, thematic analysis to identify the molecular pathways involved.

PICO analysis i.e., P (population), animal models (rats, mice) and cellular models (hepatocytes, intestinal cells), I (intervention), avocado peel extract or bioactive compounds from avocado peel (flavonoids, phytosterols), C (comparison) a control group or a group given conventional antihyperlipidemic therapy (e.g., statins), O (outcome), modification of lipid profile (decrease in total cholesterol, LDL-C, triglycerides, and increase in HDL-C); activation or inhibition of molecular pathways related to lipid metabolism (Motwani et al., 2013; White et al., 1986; Williamson et al., 2014).





Figure 1. PRISMA analysis results

## Result and Discussion

A total of 648 studies were initially identified (records identified from PubMed, Scopus, and Web of Science). After removing duplicates (78 studies) and

applying the inclusion criteria, seven articles were selected for full analysis. The selected studies utilized *in vitro* (HMGCoA reductase, HepG2 and Caco-2 cell lines), *in vivo* (rat models), and *in silico* (molecular docking) methods (Figure 2).



Based on the results of the annual keyword searches shown in Figure 3, there has been a significant increase in the number of publications over time. In the period from 1968–2018, the occurrence of keywords was still relatively low and stable. Entering the years 2019–2021, the number of publications began to increase gradually, indicating the emergence of initial interest in this research topic. A much sharper growth trend has been seen since 2022, with the biggest surge occurring in 2025. This increase shows that research topics related to these keywords have become increasingly relevant and have received a lot of attention in recent years, thereby reinforcing the urgency and value of this SLR research.

## Discussion

The increase in the prevalence of dyslipidemia as a major risk factor for cardiovascular disease has prompted the search for alternative natural-based therapies. In this context, the use of agricultural waste, such as avocado peel (*Persea americana*), has begun to attract attention due to its high content of bioactive compounds. Avocado peel is known to be rich in phenolic compounds, flavonoids, triterpenoids, and phytosterols, which have the potential to act as natural hypolipidemic agents (Robin et al., 2024). The table of article review results can be seen in Table 1.

**Table 1.** Table of article review results

| Research Title   | Research Location               | Author                            | Insight   | Theory Used Research                                | Research Methods                             | Result Research  | Limitations  | Correlation with Your Research   |
|--|---------------------------------|-----------------------------------|---|---|--|--|--|--|
| Lipid Digestibility and Polyphenols Bioaccessibility of Oil-in-Water Emulsions Containing Avocado Peel and Seed Extracts | Spaniol (Universitat de Lleida) | (Velderra Rodríguez et al., 2021) | Avocado peel extract increases FFA release in emulsions, but decreases flavonoid bioaccessibility | O/W emulsion bioaccessibility of phenolic compounds | UPLC-MS/MS, <i>in vitro</i> digestio n model | LMP + avocado peel extract increases lipid digestibility, but decreases flavonoid bioaccessibility | The study was limited to <i>in vitro</i> simulations, not <i>in vivo</i> | Demonstrating that phenolic compound s from avocado peel affect lipid metabolism |

| Research Title  | Research Location | Author                  | Insight  | Theory Used   | Research Methods   | Result Research   | Limitations  | Correlation with Your Research  |
|---|-------------------|-------------------------|--|---|--|---|--|---|
| Computational Identification of Natural Compounds as Potential Inhibitors for HMG-CoA Reductase                                   | India             | (Athista et al., 2023)  | Identification of food compounds capable of inhibiting HMG-CoA reductase through molecular docking                         | HMG-CoA reductase inhibitor theory                  | Virtual screening, molecular docking                               | Several natural compounds from foods show high affinity for target enzymes  | Not yet tested <i>in vitro</i> or <i>in vivo</i>                                 | Explaining the main molecular targets of the hypolipidemic effect, relevant to compounds from avocado peels |
| <i>Persea americana</i> Peel: A Promising Source for Mitigation of Cardiovascular Risk in Arthritic Rats                          | Mesir             | (Mohamed et al., 2025)  | Avocado peels extracted with 2:1 EtOH, IL-6, IL-1 $\beta$ , TNF- $\alpha$ increases IL-10, and lowers cardiovascular risk  | Gut-joint axis, expression of cytokine inflammation | <i>In vivo</i> pada tikus RA, RT-PCR, 16S rRNA sequencing, docking | APE lowers inflammatory markers and plasma lipids, improves gut microbiota composition                                | Specific to the RA model; not focused on the general population                  | Demonstrating the systemic effects of bioactive compounds in avocado skin, including hypolipidemic effects  |
| The Pulp, Peel, Seed of <i>Persea americana</i> as Sources of Bioactive Phytochemicals with Cardioprotective Properties: A Review | Polandia          | (Olas, 2024)            | Avocado peels contain compounds such as flavonoids, procyanidins, and triterpenoids, which have cardioprotective potential | Stress oxidative and antiinflammation theory        | Narrative review based on PubMed, Scopus                           | Avocado peel contains compounds that have the potential to reduce cholesterol, inflammation, and platelet aggregation | Does not present new experimental data   | Reinforcing the importance of bioactive compounds in avocado peels for cardiovascular health                |
| Bioactive Properties of <i>Persea americana</i> Peel Extract and Their Role in Hypercholesterolemia Management                    | Portugal          | (Teixeira et al., 2025) | Avocado peel extract inhibits cholesterol permeation and is safe   | Inhibition of cholesterol permeation, antioxidants  | <i>In vitro</i> (Caco-2, HepG2), analysis fitokimia                | Pyridoxine-O-hexoside reduces cholesterol absorption in the intestines  | Only <i>in vitro</i> testing, not yet clinical                                   | Supporting molecular mechanisms in inhibiting cholesterol absorption  |
| Avocado ( <i>Persea americana</i> ) Peel: A Promising Source of Bioactive Compounds   | Nigeria           | (Oke et al., 2025)      | Avocado peels are rich in polyphenols, procyanidins, quercetin,  | Phytochemicals and natural molecular mechanisms     | Literature review and exploration of industrial                    | Emphasizing the pharmacological potential of avocado skin in functional   | Has not yet tested specific <i>in vivo</i> or molecular development of hypolipid | Confirming the potential of bioactive compounds in  |

| Research Title   | Research Location                 | Author                       | Insight   | Theory Used Research      | Research Methods                                  | Result Research  | Limitation s                           | Correlatio n with Your Research                                |
|--|-----------------------------------|------------------------------|---|---------------------------|---|--|--|--|
| Hypolipidemic Effect of Avocado Peel Extract in Rats with Dyslipidemia | Indonesia (FK UNSWA GATI Cirebon) | (Brajawik alpa et al., 2020) | and catechins, which have hypolipidemic and anti-inflammatory properties. Avocado peel extract significantly reduces LDL and triglycerides in dyslipidemic rats | Herbal-based intervention | <i>In vivo</i> experiments on Sprague Dawley rats | Significant reduction in LDL at a dose of 300 mg/200 g body weight | Not evaluating the molecular mechanism | Immediately providing the hypolipidemic effect of avocado peel |

Brajawikalpa et al. (2020) showed that avocado peel extract was able to significantly reduce LDL and triglyceride levels and increase HDL levels in animal models with dyslipidemia. These effects occurred in a dose-dependent manner, reinforcing the indication of the presence of active compounds that play a role in modulating lipid metabolism. However, the study did not elaborate on the molecular mechanisms underlying these hypolipidemic effects, opening up room for further exploration.

In line with this, research by Mohamed et al. (2025) developed a nutraceutical formulation from avocado peel and evaluated its effects on arthritic rats with high cardiovascular risk. The results showed that administration of avocado peel nutraceutical (APN) not only reduced lipid parameters such as total cholesterol and LDL, but also decreased the expression of inflammatory genes such as TNF- $\alpha$ , IL-6, IL-1 $\beta$ , and increased the expression of IL-10, both in the liver and spleen. This finding provides preliminary evidence that the hypolipidemic effects of bioactive compounds in avocado peel may be mediated by interrelated inflammatory and oxidative stress pathways. Furthermore, the gut-joint axis approach used in the study emphasizes the interconnection between gut microbiota, the immune system, and lipid metabolism, broadening the molecular perspective of avocado peel's effects on cardiovascular health.

Velderrain-Rodríguez et al. (2021) raised another important issue, namely the bioaccessibility and bioavailability of bioactive compounds in avocado skin and seeds in oil-in-water emulsion systems. They showed that adding avocado peel extract to low-methoxyl pectin-based emulsions increased the release

of free fatty acids during in vitro digestion, which is an indicator of improved lipid digestibility. In addition, the peel extract also affects the release profile of flavonoids and phenolic compounds, which are very important in the context of the bioeffectiveness of these compounds in the gastrointestinal tract. Although this study did not directly investigate the effects on blood lipid parameters, it provides a strong basis that the active compounds in avocado peel play a role in improving lipid metabolism through increased release and absorption in the intestine.

The in silico research by Athista et al. (2023) makes an important contribution to understanding the potential molecular mechanisms involved in the hypolipidemic effects of natural bioactive compounds. They conducted virtual screening of compounds from natural foods to identify compounds that can inhibit the enzyme 3-hydroxy-3-methylglutaryl-coenzyme A reductase (HMG-CoA reductase), a key enzyme in cholesterol biosynthesis. The results showed that a number of compounds from natural food sources had high binding affinity to the active site of the enzyme, similar to the mechanism of action of statins. Although this study did not include specific compounds from avocado peel, the methodology used can be applied to test compounds such as  $\beta$ -sitosterol, quercetin, and catechin, which are known to be contained in avocado skin as identified in other studies.

Furthermore, a review by Olas (2024) highlights various bioactive compounds contained in avocados, including the pulp, seeds, and skin. Compounds such as oleic acid, phytosterols, and flavonoids have been shown to have cardioprotective effects through mechanisms such as antioxidants, anti-inflammation,

and platelet aggregation inhibition. This study provides an in-depth understanding of the biological pathways that may be involved in the hypolipidemic effects, although it does not explicitly focus on avocado skin. Nevertheless, these findings can be used as a reference for evaluating similar compounds derived from the skin in experimental studies.

Teixeira et al. (2025) developed an aqueous extract from avocado peel and evaluated its effectiveness in reducing cholesterol permeability through a Caco-2 cell model, which simulates absorption in the human intestine. The results showed that this extract significantly inhibited cholesterol permeability and exhibited high antioxidant activity in the HepG2 model. This indicates that bioactive compounds from avocado peel can modulate lipid absorption through their effect on intestinal epithelial permeability (Bhuyan et al., 2019; Salazar-López et al., 2021; Zuñiga-Martínez et al., 2021), which is an important mechanism in the management of dyslipidemia. The study also found a new compound, pyridoxine-O-Hex, in avocado peel extract that may have a bioactive role, although further study is needed.

A review by Oke et al. (2025) compiled various research results on the bioactive compound content of avocado peel and its potential in functional applications. They mentioned that avocado peel contains various compounds such as (epi)catechin, procyanidins, and chlorogenic acid, which have antioxidant, anti-inflammatory, and antimicrobial capacities. This study emphasizes that avocado peel has a rich and diverse compound profile, making it a potential candidate for functional food-based hypolipidemic interventions. However, this study is narrative in nature and does not experimentally elaborate on the molecular effects of these compounds on lipid metabolism (Han, 2016; Pawlak et al., 2015).

## Conclusion

Avocado peel bioactives exhibit promising hypolipidemic effects via multiple molecular mechanisms, including HMGCR inhibition, transcriptional modulation (PPAR- $\alpha$ /SREBP-1c), and intestinal cholesterol transport suppression. These findings support the potential development of avocado peel-based functional foods or nutraceuticals. Further clinical research is needed to confirm efficacy and safety.

## Acknowledgments

The authors also acknowledge the Directorate General of Research and Development, Ministry of Higher Education, Science, and Technology, Republic of Indonesia, for publication funding in 2025 (Grant No. 0488/C/DT.06.01/2025), as well as the rector of Almarisah Madani University for the issuance of the official Rector's

Decree (No. 014/R/UNIVERAL/XII/2025). The authors also thank their colleagues and mentors for constructive feedback and academic guidance throughout the preparation of this manuscript.

## Author Contributions

Conceptualization, Suwahyuni M. and Nanik S methodology, Suwahyuni; software, Sapto Y; validation, Suwahyuni, Nanik S.; formal analysis, Suwahyuni M.; investigation, Suwahyuni M.; resources, Sapto Y.; data curation, Suwahyuni M.; writing – original draft preparation, Suwahyuni M.; writing – review and editing, Suwahyuni, Nanik S.; visualization, Nanik Y; supervision, Suwahyuni M.; project administration, Suwahyuni M.; funding acquisition, Sapto Y. All authors have read and agreed to the published version of the manuscript.

## Funding

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors. All costs related to the systematic review, data analysis, and manuscript preparation were supported by the authors' affiliated institutions.

## Conflicts of Interest

The authors declare no conflict of interest. The authors have no relevant financial or non-financial relationships to disclose in relation to the content of this article. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript; or in the decision to publish the results.

## References

- Alhassan, A. M., & Ahmed, Q. U. (2016). Averrhoa bilimbi Linn.: A review of its ethnomedicinal uses, phytochemistry, and pharmacology. *Journal of Pharmacy and Bioallied Sciences*, 8(4), 265–271. <https://doi.org/10.4103/0975-7406.199342>
- Athista, M., Hariharan, V., Namratha, K., Pavankumar, G., Perciya, J. L., & Sunkar, S. (2023). Computational Identification of Natural Compounds as Potential Inhibitors for HMGCoA Reductase. *Current Trends in Biotechnology and Pharmacy*, 17(4), 1457–1485. <https://doi.org/10.5530/ctbp.2023.4.81>
- Bhuyan, D. J., Alsherbiny, M. A., Perera, S., Low, M., Basu, A., Devi, O. A., Barooah, M. S., Li, C. G., & Papoutsis, K. (2019). The odyssey of bioactive compounds in avocado (*Persea americana*) and their health benefits. *Antioxidants*, 8(10), 426. <https://doi.org/10.3390/antiox8100426>
- Brajawikalpa, R. S., Nidhamuddin, U., & Loebis, I. M. (2020). Hypolipidemic effect of avocado peel (*Persea americana* Mill.) extract in rats with dyslipidemia. *Journal of Physics: Conference Series*, 1665(1), 12016. <https://doi.org/10.1088/1742-6596/1665/1/012016>
- Chen, J., Zhang, K., Yu, X., Ren, J., Kan, C., Sheng, S.,

- Han, F., Zhang, Y., Chen, J., & Sun, X. (2025). Flavonoids in Metabolic Disease: A Narrative Review of Mechanisms and Therapeutic Potential. *Phytotherapy Research*, 39(11), 5365-5377. <https://doi.org/10.1002/ptr.70107>
- Daina, A., Michielin, O., & Zoete, V. (2019). SwissTargetPrediction: updated data and new features for efficient prediction of protein targets of small molecules. *Nucleic Acids Research*, 47(W1), W357-W364. <https://doi.org/10.1093/nar/gkz382>
- Ference, B. A., Ginsberg, H. N., Graham, I., Ray, K. K., Packard, C. J., Bruckert, E., Hegele, R. A., Krauss, R. M., Raal, F. J., Schunkert, H., & others. (2017). Low-density lipoproteins cause atherosclerotic cardiovascular disease. 1. Evidence from genetic, epidemiologic, and clinical studies. A consensus statement from the European Atherosclerosis Society Consensus Panel. *European Heart Journal*, 38(32), 2459-2472. <https://doi.org/10.1093/eurheartj/ehx144>
- Han, X. (2016). Lipidomics for studying metabolism. *Nature Reviews Endocrinology*, 12(11), 668-679. Retrieved from <https://www.nature.com/articles/nrendo.2016.98>
- Ibarra-Junquera, V., Ramos-Aguilar, A. L., Ornelas-Paz, J., Tapia-Vargas, L. M., Ruiz-Cruz, S., Gardea-Béjar, A. A., Yahia, E. M., de Jesús Ornelas-Paz, J., Pérez-Martínez, J. D., & Ríos-Velasco, C. (2019). The importance of the bioactive compounds of avocado fruit (Persea americana Mill) on human health. *Biotecnia*, 21(3), 154-162. <https://doi.org/10.18633/biotecnia.v21i3.1047>
- Li, M., Ding, L., Cao, L., Zhang, Z., Li, X., Li, Z., Xia, Q., Yin, K., Song, S., Wang, Z., & others. (2025). Natural products targeting AMPK signaling pathway therapy, diabetes mellitus and its complications. *Frontiers in Pharmacology*, 16, 1534634. <https://doi.org/10.3389/fphar.2025.1534634>
- Mohamed, D. A., Ramadan, A. A., Mabrok, H. B., Ibrahim, G. E., & Mohammed, S. E. (2025). Persea americana Peel: A Promising Source of Nutraceutical for the Mitigation of Cardiovascular Risk in Arthritic Rats Through the Gut-Joint Axis. *Biomolecules*, 15(4), 590. <https://doi.org/10.3390/biom15040590>
- Motwani, K. H., Jain, S. V., & Patel, R. N. (2013). Cost analysis of pump as turbine for pico hydropower plants--a case study. *Procedia Engineering*, 51, 721-726. <https://doi.org/10.1016/j.proeng.2013.01.103>
- Oke, M. A., Adebayo, E. A., Ajisope, N. A., Olowe, B. M., & Fasuan, O. S. (2025). Avocado (Persea americana) peel: a promising source of bioactive compounds. *Frontiers in Nutrition*, 12, 1642969. <https://doi.org/10.3389/fnut.2025.1642969>
- Olas, B. (2024). The Pulp, Peel, Seed, and Food Products of Persea americana as Sources of Bioactive Phytochemicals with Cardioprotective Properties: A Review. *International Journal of Molecular Sciences*, 25(24), 13622. <https://doi.org/10.3390/ijms252413622>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-Wilson, E., McDonald, S., & Moher, D. (2021). The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *Systematic Reviews*, 10(1), 89. <https://doi.org/10.1186/s13643-021-01626-4>
- Pawlak, M., Lefebvre, P., & Staels, B. (2015). Molecular mechanism of PPAR $\alpha$  action and its impact on lipid metabolism, inflammation and fibrosis in non-alcoholic fatty liver disease. *Journal of Hepatology*, 62(3), 720-733. <https://doi.org/10.1016/j.jhep.2014.10.039>
- Robin, S. J., Balakumbahan, R., Rajesh, S., Muthulakshmi, S., & Anitha, T. (2024). Exploring the bioactive components and their pharmacological prospects in Avocado (Persea americana Mill.). *Annals of Phytomedicine*, 13(2). <https://doi.org/10.54085/ap.2024.13.2.38>
- Salazar-López, N. J., Salmerón-Ruiz, M. L., Domínguez-Avila, J. A., Villegas-Ochoa, M. A., Ayala-Zavala, J. F., & González-Aguilar, G. A. (2021). Phenolic compounds from 'Hass' avocado peel are retained in the indigestible fraction after an in vitro gastrointestinal digestion. *Journal of Food Measurement and Characterization*, 15(2), 1982-1990. <https://doi.org/10.1007/s11694-020-00794-6>
- Shahidi, F., & Ambigaipalan, P. (2015). Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects--A review. *Journal of Functional Foods*, 18, 820-897. <https://doi.org/10.1016/j.jff.2015.06.018>
- Stroes, E. S., Thompson, P. D., Corsini, A., Vladutiu, G. D., Raal, F. J., Ray, K. K., Roden, M., Stein, E., Tokgözöglu, L., Nordestgaard, B. G., & others. (2015). Statin-associated muscle symptoms: impact on statin therapy—European Atherosclerosis Society consensus panel statement on assessment, aetiology and management. *European Heart Journal*, 36(17), 1012-1022. <https://doi.org/10.1093/eurheartj/ehv043>
- Teixeira, L. M., Viana, A. S., Reis, C. P., & Pacheco, R. (2025). Oral Delivery of Avocado Peel Extract

- Using Albumin Nanocarriers to Modulate Cholesterol Absorption. *Pharmaceutics*, 17(8), 1061. <https://doi.org/10.3390/pharmaceutics17081061>
- Tovar, J. R., Far\'\ias, A. A. M., Ara\'ujo, R. G., Flores, S. D. N., Herrera, R. R., Jasso, R. M. R., Ilin\'a, A., & Trevi\'no, A. L. (2024). *The Bioactive Compounds of Avocado and Its Effects in in vitro and in vivo Models*. Retrieved from <https://shorturl.asia/Kgka5>
- Velderrain-Rodr\'iguez, G. R., Salvia-Trujillo, L., & Mart\'in-Bellosa, O. (2021). Lipid digestibility and polyphenols bioaccessibility of oil-in-water emulsions containing avocado peel and seed extracts as affected by the presence of low methoxyl pectin. *Foods*, 10(9), 2193. <https://doi.org/10.3390/foods10092193>
- White, J. A., Hart, R. J., & Fry, J. C. (1986). An evaluation of the Waters Pico-Tag system for the amino-acid analysis of food materials. *The Journal of Automatic Chemistry*, 8(4), 170. <https://doi.org/10.1155/S1463924686000330>
- WHO. (2018). *Noncommunicable diseases country profiles 2018*. World Health Organization; World Health Organization. Retrieved from <https://iris.who.int/bitstream/handle/10665/274512/9789241514620-eng.pdf>
- Williamson, S. J., Stark, B. H., & Booker, J. D. (2014). Low head pico hydro turbine selection using a multi-criteria analysis. *Renewable Energy*, 61, 43-50. <https://doi.org/10.1016/j.renene.2012.06.020>
- Zu\'niga-Mart\'inez, B. S., Dom\'inguez-Avila, J. A., Wall-Medrano, A., Ayala-Zavala, J. F., Hern\'andez-Paredes, J., Salazar-L\'opez, N. J., Villegas-Ochoa, M. A., & Gonz\'alez-Aguilar, G. A. (2021). Avocado paste from industrial byproducts as an unconventional source of bioactive compounds: Characterization, in vitro digestion and in silico interactions of its main phenolics with cholesterol. *Journal of Food Measurement and Characterization*, 15(6), 5460-5476. <https://doi.org/10.1007/s11694-021-01117-z>